








2. Butterfly-Valves










2. Butterfly Valves

Product name	Description	D x H (mm) <i>Without Gearbox !!</i>	ΔP . Bar max	T min/max °C	Material	Dn	Art.no. ITS	Picture
ITS 4613	Butterfly Valve Dubble Flange NBR PN10 GEAR-Rilsan blade	178 x 286	7	Liner specification	GGG40 / NBR / Rilsan	300	328110	No picture
ITS 4620	Butterfly Valve Dubble Flange NBR PN16 Bareshaft Overall dimension according to DIN3202-F16 (Short overall dimension)	108 x 128	10	Liner specification	GGG40 / NBR / AL.BR.	50	322401	
		112 x 136	10			65	322402	
		114 x 144	10			80	322403	
		127 x 154	10			100	322404	
		140 x 184	10			125	322405	
		140 x 194	10			150	322406	
		152 x 229	6			200	322408	
		165 x 261	6			250		
		286 x 178	6			300		
		190 x 322	6			350		
		216 x 352	6			400		
		222 x 380	6			450		
		229 x 420	6			500		
		267 x 468	6			600		
ITS 4621	Butterfly Valve Double Flange NBR PN16 Manual Overall dimension according to DIN3202-F16 (Short overall dimension) Handle E - 80	108 x 128	10	Liner specification	GGG40 / NBR / AL.BR.	50	322425	
		112 x 136	10			65	322426	
		114 x 144	10			80	322427	
		127 x 154	10			100	322428	
		140 x 184	10			125	322429	
		140 x 194	10			150	322430	
		152 x 229	6			200	322431	







2. Butterfly Valves

Product name	Description	D x H (mm)		Δ P. Bar max	T min/max °C	Material	Dn	Art.no. ITS	Picture
		Without Gearbox !!							
ITS 4623	Butterfly Valve Double Flange NBR PN16 GEAR-AB Overall dimension according to DIN3202-F16	-	-	-	Liner specification	GGG40 / NBR / AL.BR.	32	-	
		108 x 128	10				50	322433	
		112 x 136	10				65	322434	
		114 x 144	10				80	322435	
		127 x 154	10				100	322436	
		140 x 184	10				125	322437	
		140 x 194	10				150	322438	
		152 x 229	6				200	322439	
		165 x 261	6				250	322440	
		286 x 178	6				300	322441	
		190 x 322	6				350	322442	
		216 x 352	6				400	322443	
		222 x 380	6				450	322444	
		229 x 420	6				500	322445	
267 x 468	6				600	322446			
ITS 4624	Butterfly Valve Double Flange NBR PN10 Pneumatic actuation	140 x 194	10	Liner specification	GGG40 / NBR / AL.BR.	150	322486	 	
		152 x 229	6			200	322487		
		286 x 178	6			300	322489		
		190 x 322	6			350	322490		
ITS 6023	Butterfly Valve Monoflange with gearbox	140 x 352	10	Liner specification	GGG40 / Al.Br / NBR	400	322090		
		152 x 380	10			450	322091		
		152 x 420	10			500	322092		
		154 x 465	10			550	329250		






2. Butterfly Valves

Product name	Description	D x H (mm) <small>ATTENTION: EXCL. ACTUATION!!</small>	Δ P. Bar max	T min/max °C	Material	Dn	Art.no. ITS	Picture
ITS 6721	Butterfly Valve Lug type Manual by handle For flanges according to Din2501/PN10/16 t/m DN150 Din2501/PN10 DN200 and bigger. Different specifications possible	-	10	Liner specification	GGG40 / NBR / AL.BR.	32	302700	
		33 x 122	10			40	302701	
		43 x 128	10			50	302702	
		46 x 136	10			65	302703	
		64 x 144	10			80	302704	
		64 x 154	10			100	302705	
		70 x 184	10			125	302706	
		76 x 194	10			150	302707	
		89 x 229	6			200	302708	
		114 x 261	6			250	302709	
		114 x 286	6			300	302710	
ITS 6723	Butterfly Valve Lug type with gearbox For flanges according to Din2501/PN10/16 t/m DN150 Din2501/PN10 DN200 and bigger. Different specifications possible	33 x 122	10	Liner specification	GGG40 / NBR / AL.BR.	40	304201	
		43 x 128	10			50	304202	
		46 x 136	10			65	304203	
		64 x 144	10			80	304204	
		64 x 154	10			100	304205	
		70 x 184	10			125	304206	
		76 x 194	10			150	304207	
		89 x 229	6			200	304208	
		114 x 261	6			250	304209	
		114 x 286	6			300	304210	
		127 x 322	6			350	304211	
		140 x 352	6			400	304212	
		152 x 615	6			450	304213	
		152 x 690	6			500	304214	
ITS 6424	Butterfly Valve Lug type and 24 VDC actuation For flanges according to Din2501/PN10/16 t/m DN150 Din2501/PN10 DN200 and bigger. Different specifications possible	130 x 200	10	Liner specification	GGG40 / NBR / AL.BR.	32	304216	
		136 x 200	10			40	304217	
		136 x 200	10			50	304218	
		145 x 200	10			65	304219	
		151 x 200	10			80	304220	
		175 x 290	10			100	304221	






2. Butterfly Valves

Product name	Description	D x H (mm) <small>ATTENTION: EXCL. ACTUATION!!!</small>	Δ P. Bar max	T min/max °C	Material	Dn	Art.no. ITS	Picture
ITS 5721 Lug *	Butterfly Valve Lug type GGG40/ AL.BR/ NBR Manual by handle For flanges according to Din2501/PN10/16 t/m DN150 Din2501/PN10 DN200 and bigger. Different specifications possible	43 x 118	16	Liner specification	GGG40 / NBR / AL.BR.	50	349003	
		46 x 126	16			65	349004	
		46 x 133	16			80	349005	
		52 x 147	16			100	349006	
		56 x 160	16			125	349007	
		56 x 180	16			150	349008	
		60 x 204	16			200	349009	
		68 x 245	16			250	349010	
		78 x 270	16			300	349011	
ITS/ Z014K1	Ebro Butterfly Valve Z014K1 Lug type For flanges according to Din2501/PN10/16 t/m DN150 Din2501/PN10 DN200 and bigger. Different specifications possible	33 x 104	16	Liner specification	GGG40 / AL.BR	20	329275	
		33 x 104	16			25	329276	
		33 x 104	16			32	329277	
		33 x 113	16			40	329278	
		43 x 126	16			50	329279	
		46 x 134	16			65	329280	
		46 x 157	16			80	329281	
		52 x 167	16			100	329282	
		56 x 180	16			125	329283	
		56 x 203	16			150	329284	
		60 x 228	16			200	329285	
		68 x 266	16			250	329286	
		78 x 291	16			300	329287	







2. Butterfly Valves

Product name	Description	D x H (mm) <small>ATTENTION: EXCL. ACTUATION!!!</small>	Δ P. Bar max	T min/max °C	Material	Dn	Art.no. ITS	Picture
ITS/ Z014K1. 24VDC	Ebro Butterfly Valve Z014K1 With Ebro 24VDC actuation For flanges according to Din2501/PN10/16 t/m DN150 Din2501/PN10 DN200 and bigger. Different specifications possible	33 x 104	10	Liner specification	GGG40 / Al.BR	DN20	349200	
		33 x 104	10			DN25	349201	
		33 x 104	10			DN32	349202	
		33 x 113	10			DN40	349203	
		43 x 126	10			DN50	349204	
		46 x 134	10			DN65	349205	
		46 x 157	10			DN80	349206	
		52 x 167	10			DN100	349207	
		56 x 180	10			DN125	349208	
		56 x 203	10			DN150	349209	
		60 x 228	10			DN200	349210	
		68 x 266	10			DN250	349211	
		78 x 291	10			DN300	349212	
ITS 6731	Butterfly Valve Lug type With manual by handle Convertable liner For flanges according to Din2501/PN10/16 t/m DN150 Din2501/PN10 DN200 and bigger. Several other options possible	-	-	Liner specification	GGG40	32	366150	 Picture used with Alu.Br. disc disc
		33 x 122	10		NBR or EPDM	40	366151	
		43 x 128	10		Stainless Steel	50	366152	
		46 x 136	10			65	366153	
		64 x 144	10			80	366154	
		64 x 154	10			100	366155	
		70 x 184	10			125	366156	
		76 x 194	10			150	366157	
		89 x 229	6			200	366158	
		114 x 261	6			250	366159	
		114 x 286	6			300	366160	






2. Butterfly Valves

Product name	Description	D x H (mm)		T min/max °C	Material	Dn	Art.no. ITS	Picture
		ATTENTION: EXCL. ACTUATION!!	Δ P. Bar max					
ITS 6021 *	Butterfly Valve Monoflange With manual by handle For flanges according to Din2501/PN10/16 t/m DN150 Din2501/PN10 DN200 and bigger.	43 x 118	10	Liner specification	GGG40	50	366200	 Picture with Stainless Steel disc from Econosto
		46 x 126	10		NBR / Alu Bronze	65	366201	
		46 x 133	10			80	366202	
		52 x 147	10			100	366203	
		56 x 160	10			125	366204	
		56 x 180	10			150	366205	
		60 x 204	10			200	366206	
		68 x 245	10			250	366207	
		78 x 270	10			300	366208	
		78 x 315	10			350	366209	
		102 x 350	10			400	366210	
ITS 5821 / NBR / AB	Butterfly Valve Wafertype Including centring holes Manual by handle Convertable liner For flanges according to Din2501/PN10/16 t/m DN150 Din2501/PN10 DN200 and bigger. Several other options possible	33 x 122	10	Liner specification	GGG40	32/40	301900	 Sylax Wafer
		43 x 128	10		NBR / Alu Bronze	50	301901	
		46 x 136	10			65	301902	
		64 x 144	10			80	301903	
		64 x 154	10			100	301904	
		70 x 184	10			125	301905	
		76 x 194	10			150	301906	
		89 x 229	6			200	301907	
		114 x 261	6			250	301908	
		114 x 286	6			300	301909	
ITS 5821 / EPDM / AB	Butterfly Valve Wafertype Including centring holes Manual by handle Convertable liner For flanges according to Din2501/PN10/16 t/m DN150 Din2501/PN10 DN200 and bigger. Several other options possible	33 x 122	10	Liner specification	GGG40 / Alu.br. / EPDM	32/40	301700	 Sylax Wafer
		43 x 128	10			50	301701	
		46 x 136	10			65	301702	
		64 x 144	10			80	301703	
		64 x 154	10			100	301704	
		70 x 184	10			125	301705	
		76 x 194	10			150	301706	
		89 x 229	6			200	301707	
		114 x 261	6			250	301708	
		114 x 286	6			300	301709	






2. Butterfly Valves

Product name	Description	D x H (mm)		Δ P. Bar max	T min/max °C	Material	Dn	Art.no. ITS	Picture
		ATTENTION: EXCL. ACTUATION!!!							
ITS 6036	Butterfly Valve Monoflange With Bernard Actuation Din2501/PN10/16 t/m DN150 Din2501/PN10 DN200 and bigger. Different specifications possible For determining the actuation, give specific demands	-	-	-	Liner specification	GG40 / EPDM / Stainless Ste	40	334360	 butterfly disc with Alu Bronze disc
		43 x 128	10				50	334361	
		46 x 136	10				65	334362	
		46 x 144	10				80	334363	
		52 x 154	10				100	334364	
		56 x 184	10				125	334365	
		56 x 194	10				150	334366	
		-	-				175	334367	
		60 x 229	6				200	334368	
ITS 6033	Butterfly Valve Monoflange with gearbox Din2501/PN10/16 t/m DN150 Din2501/PN10 DN200 and bigger. Different specifications possible Optional: available in RAL9003	-	-	-	Liner specification	GG40 / EPDM / Stainless Ste	40	334400	 butterfly disc with Alu Bronze disc
		43 x 128	10				50	334401	
		46 x 136	10				65	334402	
		46 x 144	10				80	334403	
		52 x 154	10				100	334404	
		56 x 184	10				125	334405	
		56 x 194	10				150	334406	
		-	-				175	334407	
		60 x 229	6				200	334408	
		68 x 261	6				250	334409	
		78 x 286	6				300	334410	
		78 x 322	6				350	334411	
		102 x 352	6				400	334412	
		114 x 380	6				450	334413	
		127 x 420	6				500	334414	
		154 x 468	6				600	334415	
165 x 533	6				700	334416			






2. Butterfly Valves

Product name	Description	D x H (mm)		Δ P. Bar max	T min/max °C	Material	Dn	Art.no. ITS	Picture
		ATTENTION: EXCL. ACTUATION!!!							
ITS 6031	Butterfly Valve Monoflange Manual Din2501/PN10 Handle E-80	-	-	-	Liner specification	GG40 / EPDM / Stainless Ste	40	334420	 butterfly disc with Alu Bronze disc
		43 x 128	10				50	334421	
		46 x 136	10				65	334422	
		46 x 144	10				80	334423	
		52 x 154	10				100	334424	
		56 x 184	10				125	334425	
		56 x 194	10				150	334426	
		-	-				175	334427	
		60 x 229	6				200	334428	
		68 x 261	6				250	334429	
ITS 6421 *	Butterfly Valve Wafertype Including centring holes	29 x 77,5	10		Liner specification	GGG40 / AL.BR.	32	366570	
		33 x 110	10				40	366571	
		43 x 143	10				50	366572	
		46 x 156	10				65	366573	
		46 x 162	10				80	366574	
		52 x 186	10				100	366575	
		56 x 191	10				125	366576	
		56 x 206	10				150	366577	
		60 x 237	10				200	366578	
		68 x 269	10				250	366579	
		78 x 309	10				300	366580	
		78 x 368	10				350	366581	
		102 x 380	10				400	366582	




2. Butterfly Valves


Product name	Description	D x H (mm)		Δ P. Bar max	T min/max °C	Material	Dn	Art.no. ITS	Picture
		ATTENTION: EXCL. ACTUATION!!!							
ITS 4621 *	Butterfly Valve Double Flange NBR PN16 Manual	108 x 118	10	Liner specification	GGG40 / AL.BR.	50	366590	 <p>Foto without trade and Stainless Steel disc</p>	
		112 x 126	10			65	366591		
		114 x 133	10			80	366592		
		127 x 147	10			100	366593		
		140 x 160	10			125	366594		
		140 x 180	10			150	366595		
		152 x 204	10			200	366596		
ITS 5731 LUG *	Butterfly Valve With Threaded Holes GGG40/ AL.BR/ NBR Manual			Liner specification	GGG40 / AL.BR.	32	366810	 <p>Picture without trade and Stainless Steel disc</p>	
						40	366811		
						50	366812		
						65	366813		
						80	366814		
						100	366815		
						125	366816		
						150	366817		
						200	366818		
						250	366819		
						300	366820		




2. Butterfly Valves



Update 10-08


Product name	Description	D x H (mm)		Δ P. Bar max	T min/max °C	Material	Dn	Art.no. ITS	Picture
		ATTENTION: EXCL. ACTUATION!!!							
ITS 4623 Econ	Butterfly Valve NBR PN16 GEAR-AB					GGG40 / AL.BR.	50	366950	 <p>Foto without trade and Stainless Steel disc</p>
							65	366951	
							80	366952	
							100	366953	
							125	366954	
						150	366955		

						200	.366956	
						250	.366957	
						300	.366958	
						350	.366959	
						400	.366960	
						450	.366961	
						500	.366962	
						600	.366963	





2. Butterfly Valves


Product name	Description	D x H (mm)		ΔP Bar max	T min/max °C	Material	Dn	Art.no. ITS	Picture
ITS 4624 DA Econ	Butterfly Valve NBR PN16 Pneumatic DA	ATTENTION: EXCL. ACTUATION!!					50	.366970	 Fig. 7961DW 
	Elomatic 7961 DW (fill in.....)						65	.366971	
	with microswitch box 24VDC						80	.366972	
	5/2 monostable Solenoid valve 24VDC						100	.366973	
							125	.366974	
							150	.366975	
							200	.366976	
							250	.366977	
							300	.366978	
							350	.366979	



2. Butterfly Valves


Product name	Description	D x H (mm)		ΔP Bar max	T min/max °C	Material	Dn	Art.no. ITS	Picture
ITS 4624 EW Econ	Butterfly Valve NBR PN16 Pneumatic DA	ATTENTION: EXCL. ACTUATION!!					50	.366985	 Fig. 7961EW
	Elomatic 7961 EW (fill in.....)						65	.366986	
	with microswitch box 24VDC						80	.366987	
	3/2 monostable Solenoid valve 24VDC						100	.366988	
							125	.366989	
							150	.366990	

						200	.366991	
						250	.366992	
						300	.366993	
						350	.366994	



2. Butterfly Valves


Product name	Description	D x H (mm) <small>ATTENTION: EXCL. ACTUATION!!!</small>	Δ P. Bar max	T min/max °C	Material	Dn	Art.no. ITS	Picture
ITS 6723 Econ	Butterfly Valve Lugtype Gearbox				GGG40 / AL.BR.	32	.366570	
						40	.366571	
						50	.366572	
						65	.366573	
						80	.366574	
						100	.366575	
						125	.366576	
						150	.366577	
						200	.366578	
						250	.366579	
						300	.366580	
						350	.366581	
						400	.366582	
						450	.366583	
						500	.366584	
						450	.366583	
						500	.366584	




2. Butterfly Valves

Product name	Description	D x H (mm) <small>ATTENTION: EXCL. ACTUATION!!!</small>	Δ P. Bar max	T min/max °C	Material	Dn	Art.no. ITS	Picture
ITS 6721 WV	Butterfly Valve Lugtype Manual				GGG40 / AL.BR.	50	.321766	
	by handle E80					65	.321767	
						80	.321768	

				100	.321769
				125	.321770
				150	.321771
				200	.321772
				250	.321773



2. Butterfly Valves

Product name	Description	D x H (mm)	ΔP . Bar max	T min/max °C	Material	Dn	Art.no. ITS	Picture
ITS 6733 Econ	Butterfly Valve Lugtype Gearbox	ATTENTION: EXCL. ACTUATION!!			GGG40 / Stainless Steel kl.bl.	32	.370100	 <p>Picture zonder Gearbox</p>
						40	.370101	
						50	.370102	
						65	.370103	
						80	.370104	
						100	.370105	
						125	.370106	
						150	.370107	
						200	.370108	
						250	.370109	
						300	.370110	
						350	.370111	
						400	.370112	
						450	.370113	
						500	.370114	