











## 8. Filters






## 8. Filters


Product name	Description	L x H (mm)	$\Delta$ P. Bar max	T min/max °C	Material	Dn	Art.no. ITS	Picture
ITS 1633 FL	Airpel Singlefilter 0,6mm Flange PN10/16  Different types available, among Airpel filter				GG25	25	327757	
						32	327758	
						40	327759	
						50	327760	
						65	327761	
						80	327762	
ITS 1633	Airpel Singlefilter 0,6mm BSP bi.dr.  Different types available, among Airpel filter				GG25	1"	327771	
						1 1/4"	327772	
						1 1/2"	327773	
						2"	327774	
ITS 1190 ST *	Basket strainer	50 x 150	-	-	Steel	50	335000	
		200 x 100,5	-	-		65	335001	
		225 x 200	-	-		80	335002	
		275 x 237,5	-	-		100	335003	
		340 x 300	-	-		125	335004	
		400 x 362,5	-	-		150	335005	
ITS 1190 Stainless Steel	Basket strainer	50 x 150	-	-	Stainless Steel	50	335010	
		200 x 100,5	-	-		65	335011	
		225 x 200	-	-		80	335012	
		275 x 237,5	-	-		100	335013	
		340 x 300	-	-		125	335014	
		400 x 362,5	-	-		150	335015	
ITS Type 3	Hollex Filter Type 3 t.b.v. Cooling Water  Body: nickel plated bronze Filter: stainless steel 316	150 x 143	-	-	Bronze	3/4"	328571	
		150 x 143	-	-		1"	328572	
		180 x 175	-	-		1 1/4"	328573	
		180 x 175	-	-		1 1/2"	328574	
		214 x 210	-	-		2"	328575	






## 8. Filters


Product name	Description	L1 x H1 (mm)	Δ P. Bar max	T min/max °C	Material	Dn	Art.no. ITS	Picture
ITS / IN603	Fluid Box angle / stainless steel filter 5 mm perforated  Body, bonnet: cast iron Cover sealing: NBR Basket strainer: stainless steel Eyebolt: steel Drain plug: brass	-			GG25	25	327027	
		-				32	327028	
		125 x 231	10	-		40	327029	
		135 x 250	10	-		50	327030	
		150 x 271	10	-		65	327031	
		175 x 319	10	-		80	327032	
		195 x 342	10	-		100	327033	
		220 x 407	10	-		125	327034	
		270 x 466	10	-		150	327035	
		300 x 550	10	-		200	327036	
		390 x 647	10	-		250	327037	
		450 x 799	10	-		300	327038	
		-	-	-		350	327039	
-	-	-		400	327040			

Product name	Description	L x H (mm)	Δ P. Bar max	T min/max °C	Material	Dn	Art.no. ITS	Picture
ITS / IN602	Fluid Box Straight / stainless steel filter 5 mm perforated  Body, bonnet: cast iron Cover sealing: NBR Basket strainer: stainless steel Eyebolt: steel Drain plug: brass	-			GG25	25	327042	No picture available
		-				32	327043	
		200 x 208	10	-		40	327044	
		230 x 220	10	-		50	327045	
		290 x 260	10	-		65	327046	
		310 x 299	10	-		80	327047	
		350 x 343	10	-		100	327048	
		400 x 406	10	-		125	327049	
		480 x 462	10	-		150	327050	
		600 x 580	10	-		200	327051	
		600 x 605	10	-		250	327052	
		700 x 705	10	-		300	327053	
		-	-	-		350	327054	
-	-	-		400	327055			





## 8. Filters

Product name	Description	L x H (mm)	$\Delta P$ . Bar max	T min/max °C	Material	Dn	Art.no. ITS	Picture
ITS Type 4	<b>Hollex Filter Type 4 t.b.v. Cooling Water</b>  Body: nickel plated bronze Filter stainless steel 316	140 x 131	-	-	Bronze	3/8"	328580	
		140 x 131	-	-		1/2"	328581	
		169 x 151	-	-		3/4"	328582	
		169 x 151	-	-		1"	328583	
		211 x 204	-	-		1 1/4"	328584	
		211 x 204	-	-		1 1/2"	328585	
		238 x 220	-	-		2"	328586	
		298 X 280	-	-		2 1/2"	328587	
		304 X 291	-	-		3"	328588	
341 X 430	-	-		4"	328589			
ITS Y333P	<b>Y Strainer</b>  Cast iron with stainless steel filter Filter bore in micron on request	200 x 130	16	$\leq 100^\circ\text{C}$	GG25	40	334060	
		230 x 145	16	$\leq 100^\circ\text{C}$		50	334061	
		290 x 192	16	$\leq 100^\circ\text{C}$		65	334062	
		310 x 173	16	$\leq 100^\circ\text{C}$		80	334063	
		350 x 220	16	$\leq 100^\circ\text{C}$		100	334064	
		400 x 280	16	$\leq 100^\circ\text{C}$		125	334065	
		480 x 301	16	$\leq 100^\circ\text{C}$		150	334066	
		600 x 403	16	$\leq 100^\circ\text{C}$		200	334067	
		730 x 472	16	$\leq 100^\circ\text{C}$		250	334068	
		850 x 508	16	$\leq 100^\circ\text{C}$		300	334069	
		980 x 587	16	$\leq 100^\circ\text{C}$		350	334070	
1100 x 658	16	$\leq 100^\circ\text{C}$		400	334071			
ITS 1013 *	<b>Bronze Y Strainer With Filter 1mm Perforation</b>  Bronze Y strainer 1,25 mm filter perforation Also filter 0,25 en 3 mm perforation available	72 x 45	16	$\leq 200^\circ\text{C}$	ronze / Stainless Ste	1/4"	334300	
		72 x 45	16	$\leq 200^\circ\text{C}$		3/8"	334301	
		85 x 55	16	$\leq 200^\circ\text{C}$		1/2"	334302	
		100 x 65	16	$\leq 200^\circ\text{C}$		3/4"	334303	
		120 x 75	16	$\leq 200^\circ\text{C}$		1"	334304	
		140 x 90	16	$\leq 200^\circ\text{C}$		1 1/4"	334305	
		160 x 100	16	$\leq 200^\circ\text{C}$		1 1/2"	334306	
		205 x 160	16	$\leq 200^\circ\text{C}$		2	334307	
		245 x 185	16	$\leq 200^\circ\text{C}$		2 1/2"	334308	
		265 x 205	16	$\leq 200^\circ\text{C}$		3"	334309	



## 8. Filters

Up date 10 aug

Product name	Description	L x H (mm)	$\Delta P$ . Bar max	T min/max °C	Material	Dn	Art.no. ITS	Picture
ITS 1187N Bronze *	<b>Bronze Mud Box</b>  include basket CuNiFe Flanges PN10/16  Identical but only in Type PN10	-	-	-	Bronze	20	<b>366425</b>	 Picture from GY type
		-	-	-		25	<b>366426</b>	
		-	-	-		32	<b>366427</b>	
		200 x 208	16	-		40	<b>366428</b>	
		230 x 220	16	-		50	<b>366429</b>	
		290 x 260	16	-		65	<b>366430</b>	
		310 x 299	16	-		80	<b>366431</b>	
		350 x 343	16	-		100	<b>366432</b>	
		400 x 406	16	-		125	<b>366433</b>	
		480 x 462	16	-		150	<b>366434</b>	
		600 x 580	10	-		200	<b>366435</b>	
		600 x 605	10	-		250	<b>366436</b>	
ITS 1028 Econ	<b>Temporary Filter Stainless Steel</b>	64 x 30	3	≤200°C	Stainless Steel	25	<b>366280</b>	
		73 x 45	3	≤200°C		32	<b>366281</b>	
		83 x 65	3	≤200°C		40	<b>366282</b>	
		102 x 85	3	≤200°C		50	<b>366283</b>	
		121 x 120	2	≤200°C		65	<b>366284</b>	
		133 x 155	2	≤200°C		80	<b>366285</b>	
		162 x 200	1	≤200°C		100	<b>366286</b>	
		192 x 255	1	≤200°C		125	<b>366287</b>	
		218 x 315	1	≤200°C		150	<b>366288</b>	
		272 x 420	0,5	≤200°C		200	<b>366289</b>	
		328 x 530	0,5	≤200°C		250	<b>366290</b>	
		382 x 640	0,5	≤200°C		300	<b>366291</b>	